




SANY
STC800




MACROMOVE


GUINDASTES




11,80/45,00m



9,20-16,00m




7,65X6,10m






MACROMOVE


GUINDASTES



11,80/45,00m




9,20/16,00m






MACROMOVE


GUINDASTES





11,80/45,00m



7,65X6,10m




75%

	11,80	15,95	20,10	28,40	36,70	45,00	
3	80,0	51,0					3
3,5	71,0	51,0	43,0				3,5
4	63,0	51,0	43,0				4
4,5	56,0	48,0	40,5	30,0			4,5
5	51,0	45,0	38,0	30,0			5
5,5	46,0	42,0	35,4	28,5			5,5
6	41,0	38,0	33,1	27,3			6
6,5	36,0	34,0	31,0	26,0	16,0		6,5
7	32,0	30,5	28,5	24,6	16,0		7
8	25,0	24,5	23,8	22,0	15,0	9,5	8
9	19,0	20,0	19,5	19,2	14,5	9,5	9
10		16,0	15,9	16,3	13,9	9,2	10
11		13,0	13,1	13,9	13,0	9,0	11
12		10,5	10,8	12,0	12,0	8,8	12
14			7,7	9,0	9,5	8,5	14
16			5,5	6,8	7,5	7,7	16
18			3,8	5,1	6,0	6,6	18
20				3,9	4,7	5,2	20
22				2,9	3,7	4,1	22
24				2,1	2,8	3,3	24
26				1,5	2,1	2,6	26
28					1,6	2,0	28
30					1,2	1,6	30
32					0,8	1,2	32
34					0,5	0,9	34
36						0,6	36




MACROMOVE


GUINDASTES




11,80/45,00m



9,20/16,00m





7,65X6,10m




%

75%

	9,20	9,20	9,20	16,00	16,00	16,00	
	0°	15°	30°	0°	15°	30°	
8	3,50			2,80			8
10	3,50	2,40	2,00	2,40			10
12	3,00	2,30	2,00	2,40	1,50		12
14	2,70	2,20	1,90	2,30	1,45		14
15	2,50	2,10	1,80	2,00	1,40	1,10	15
16	2,50	2,00	1,80	2,00	1,40	1,10	16
18	2,20	1,80	1,70	1,80	1,30	1,00	18
20	2,00	1,70	1,60	1,60	1,20	0,95	20
22	1,80	1,50	1,40	1,50	1,10	0,85	22
24	1,50	1,40	1,30	1,30	1,00	0,85	24
26	1,10	1,20	1,10	1,10	0,95	0,80	26
28	0,70	1,00	0,95	0,95	0,85	0,76	28
30		0,65	0,75	0,65	0,85	0,72	30
32			0,55	0,50	0,60	0,65	32
34						0,65	34
36						0,55	36

uso somente para fins comerciais



Raio do centro do giro do guindaste ao centro da carga

Comprimento de lança

Comprimento de lança auxiliar jib

Distância entre patolas

Margem de segurança utilizada